

## Product Information

Product Brand: Roto NT, Roto NX

Roto NX / NT Halteplatte für profilierten Beschlagstulp | Roto NX / NT retaining plate for profiled fitting face plate (v02)

Halteplatte für Getriebe, Axerstulpe und andere Flügelbauteile | Retaining plate for espagnolette, stay guide and other sash components



### Related Products

Roto NT, Roto NX

Other

### Application range

Anwendung:

- Die Halteplatten können optional überall dort eingesetzt werden wo keine Verschraubung des Beschlagstulp in der Beschlagnut gewährleistet werden kann.
- Zum Beispiel Getrieben oder Axerstulpen im Ablängbereich, bei Verwendung von Sondereckumlenkungen oder bei Reparaturen.
- Zusätzliche Sicherung des Beschlagstulp bei längeren Bereichen ohne Schraubloch, insbesondere bei Beschlagslösungen mit höheren Sicherheitsanforderungen (RC2, SKG\*\*\*, usw.)
- Zusätzliche Sicherung des Beschlagstulp bei fehlenden Schraubpositionen, insbesondere bei Beschlagslösungen mit höheren Sicherheitsanforderungen (RC2, SKG\*\*\*, usw.)
- Die Notwendigkeit ist im Einzelfall zu prüfen und liegt in der Entscheidung des Verarbeiters.
- Die fachgerechte Verschraubung der Beschlagteile entsprechend der gültigen Normen und Richtlinien ist durch den Verarbeiter zu gewährleisten.

Montage:

- Geeignet für Flügelprofile aus Holz und Kunststoff bei ausreichender Profilbreite neben der Beschlagnut (ca. 10 mm notwendig).
- Die Halteplatten mit Zapfen können auf passenden Löchern im Stulpmaterial verwendet werden.
- Die Halteplatten ohne Zapfen können an jeder Stelle des Stulpmaterials eingesetzt werden.

*Änderung 08.02.2022: Hinweise zu Sicherheitsanforderungen hinzu*

### Applications:

- The retaining plates can optionally be used wherever it is not possible to ensure that the faceplate is screwed into the fitting groove.

- For example, espagnolettes or stay guides in the cut-to-length area, when using special corner drives or for repairs.
- Additional securing of the faceplate in longer areas without screw hole, especially for fitting solutions with higher security requirements (RC2, SKG\*\*\*, etc.).
- Additional securing of the faceplate in case of missing screw positions, especially for fitting solutions with higher security requirements (RC2, SKG\*\*\*, etc.).
- The necessity must be checked in each individual case and is the decision of the window manufacturer.
- The professional screwing of the hardware parts in accordance with the applicable standards and guidelines must be ensured by the fabricator.

Assembly:

- Suitable for timber and PVC sash profiles with sufficient profile width next to the hardware groove (approx. 10 mm required).
- The retaining plates with pegs can be used on matching holes in the face material.
- The retaining plates without spigots can be used at any point of the faceplate material.

*Amendment 08.02.2022: Notes on safety requirements added*

Product Overview

Material No.	EAN no.	Description	PU	Price/Pcs.	Material Si ze	D-MG	Spout Material
255211	4036263017864	NT HALTEPLATTE M ZAPFEN RSIL	400		20		
607538	4036263198273	NT HALTEPLATTE M ZAPFEN NTS	400		20		
487264	4036263135537	NT HALTEPLATTE O ZAPFEN RSIL	400		20		

More Pictures:





**SAP-Nr.    Bezeichnung**

742199	DK GTR 460/120 D15 NT
734625	DK GTR 460/120 D15 NTS
742202	DK GTR M 630 D15 NT
734629	DK GTR M 630 D15 NTS
257275	DK-GTR.K 370/ 120    D8    .N151A01006
640828	DK-GTR.K. 265/165 FIX 1V D15 NT
622783	DK-GTR.K.370/120 D15 1P NTS
284314	DK-GTR.K.370/120 D15 M.EU.P-ZAPFEN NT
376456	DK-GTR.K.370/120 D15 M.EU.SONDER-P NT
622785	DK-GTR.K.370/120 D15 Sonder-P-ZAPFEN NTS
612049	DK-GTR.K.370/120 D15 Sonder-P-ZAPFEN NTX
457255	DK-GTR.K370/120 D8 M.EU.SONDER-P NT
284670	DK-GTR.M. 400        D8        NTS
259765	DK-GTR.M. 400        D8    .N111A01006
259718	DK-GTR.M. 400        D15   .N110A01006
612940	DK-GTR.M. 400 D15 NTN
642068	DK-GTR.M. 400 D8 NTN
259717	DK-GTR.M. 430        D15   .N110A00006
642059	DK-GTR.M. 430 D15 NTN
284669	DK-GTR.M. 500        D8        NTS
259764	DK-GTR.M. 500        D8    .N111A00006
642067	DK-GTR.M. 500 D8 NTN
566500	DK-GTR.VAR. 515 1V D15 NT
571187	MV-Bauteil waagr. oben S NT 450-620
482571	NT DI DII AX STL DF RC 250 490
770487	NT DI DII AX STL DF RC 250 490 NTN
607510	NT DI DII AX STL DF RC 250 490 NTS
385393	NT DI DII AX STL DK 250 490
770488	NT DI DII AX STL DK 250 490 NTN
607492	NT DI DII AX STL DK 250 490 NTS
812384	NT GTR KON 333 165 D15 2V FIX
738042	NT GTR KON DK 370 120 D15 EU 1P MVS
808791	NT GTR KON DK 370 120 D8 EU 1P MVS
794518	NT GTR MIT DK 630 D15 ABS L NTS
794519	NT GTR MIT DK 630 D15 ABS R NTS
643584	NT KSR GTR DK 370 120 D15 1V AS
771919	NT KSR GTR DK 690 263 D8