

## Product Information

Product Brand: Roto NT, Roto NX

Austauschplatte für Roto KSR für den Linealschieber Reiplinger | Replacement plate for Roto KSR for ruler slider Reiplinger



### Related Products

Roto NT, Roto NX

New product

### Technical Details

Austauschplatte zum Umbau bestehender Roto Beschlagstanzen der Firma Reiplinger auf das Beschlagssystem KSR.

- vorhandene Stanzen und Lineale können weiter verwendet werden
- geeignet für DK-Getriebe KSR, mittig-variabel und konstant
- verfügbar ab März 2023

**Bitte die angehängte Anleitung beachten.**

### Technical Details

Replacement plate for converting existing Roto hardware punches made by Reiplinger to the KSR hardware system.

- existing punches and rulers can still be used
- suitable for DK-gear KSR, center-variable and constant
- available from March 2023

**Please note the attached instructions.**

### Product Overview

Material No.	EAN no.	Description	PU	Price/Pcs.	Material Si ze	D-MG	Spout Material
2004525		NX WEZ Platte KSR f Reiplinger	1				



Created on 13.02.2023


Modified on 13.02.2023

No. 23 1158

## Crémone KSR

### Pièce jointe A

Outil de mise a longueur




avec:

**renvois d'angle normal**

- Crémone OB normale
- Tetière de compas
- Crémone de semi fixe constante

Outil de mise a longueur




avec:

**Sans renvois d'angle**

- Crémone OB Normale
- Tetière de compas
- Crémone de semi fixe constante

Outil de mise a longueur




avec:

**Renvois d'angle Normal**

- OB crémone oscillo battante

Outil de mise a longueur




avec:

**Sans renvois d'angle**

- Crémone OB KSR



Crémone KSR

Piece jointe A




Avec:  
Renvois d'angle Normal au dessus

- OB Transmission variable




Avec:  
Sans renvois d'angle au dessus

- OB Transmission Variable




## Bijlage A



Met:

**Normale Hoekoverbrenging**


- DK Espagnolet constant
- Schaargeleiding
- Stolpespagnolet constant



Met:

**Speciale Hoekoverbrenging, kort**


- DK Espagnolet constant
- Schaargeleiding
- Stolpespagnolet constant



Met:

**Normale Hoekoverbrenging**

- DK Espagnolet KV




Met:

**Speciale Hoekoverbrenging, kort**

- DK Espagnolet KV

Schuiver VT



Bijlage A



Met:

**Normale Hoekoverbrenging boven**


- DK Espagnolet variabel



Met:


**Speciale Hoekoverbrenging, kort boven**

- DK Espagnolet variabel



Slider VT


Appendix A



With:

**Standard corner drive**


- Fixed handle height T&T espagnolette
- Stay guide
- Fixed lever operated espagnolette



With:

**Special short corner drive**


- Fixed handle height T&T espagnolette
- Stay guide
- Fixed lever operated espagnolette



With:

**Standard corner drive**

- Fixed handle height T&T VT espagnolette




With:

**Special short corner drive**

- Fixed handle height T&T VT espagnolette

Slider VT



Appendix A



With:

**Standard corner drive above**

- Centred/variable handle height  
T&T espagnolette



With:

**Special short corner drive above**

- Centred/variable handle height  
T&T espagnolette

