

Product Information

Phase out Patio Inowa espagnolettes D15

Overview

System

Sliding

Product

Roto Patio Inowa

The smart hardware system
for tightly sealed parallel
retraction sliding elements

Availability / Ordering ability

Description

The phased out KSR espagnolettes D15 have been set up for Patio Inowa Scheme C.

However, the espagnolettes do not have the standard lengths (not the same length as the KSR espagnolettes D25/ D30/... for Scheme C, for example) and therefore do not fully cover the application range.

New KSR espagnolettes D15 have therefore been created, which have the standard lengths and cover the complete range of applications for Inowa Scheme C.

Alternatives see product information RPI_24_0139 (Link: [Product info - RPI_24_0139](#))

There are no 1:1 replacements as we have adapted the lengths to the standard dimensions. However, the replacements fulfill the same function.

Phase out date: with immediate effect

Spare parts: are not intended

Article Overview

Article Code	Phase-out date	Target WüMatSt	Comments
2043361 PIN KSR GTR 794 D15	Nov 17, 2025	99	Alternative see RPI_24_0139
2043362 PIN KSR GTR 894 D15	Nov 17, 2025	99	Alternative see RPI_24_0139
2043363 PIN KSR GTR 944 1V D15	Nov 17, 2025	99	Alternative see RPI_24_0139

Roto Frank Fenster- und Türtechnologie GmbH


Wilhelm-Frank-Platz 1

70771 Leinfelden-Echterdingen

Deutschland

Product Information

Roto Patio Inowa KSR espagnolettes backset D15 for diagram C



Overview

System

Sliding

Product

Roto Patio Inowa

The smart hardware system for tightly sealed parallel retraction sliding elements

Availability / Ordering ability

orderable

Documentation

The new articles will be included in the next version of the following applicable documents:

IMO_403: Patio Inowa installation instructions for timber and PVC profiles
IMO_559: Patio Inowa Max installation instructions for timber and PVC profiles

Description

New KSR espagnolettes with backset D15 are available for Patio Inowa diagram C. The espagnolettes are reinforced for the useage with Patio Inowa and are compatible with the operating sequence control of diagram C

The KSR D15 espagnolettes are particularly suitable for the following profile systems:

- Salamander evolutionDrive Plus+
- Veka Move

The installation drawings apply for Scheme C:

- Patio Inowa: S21a021-300
- Patio Inowa I Max: s24a000-500

Article Overview

Article Code	EAN No.	Unit	Material Group
2050707 PIN KSR-GTR 690/263 D15_SIL	4036263587121	5	
2050706 PIN KSR-GTR 890/413 D15_SIL	4036263587114	5	
2050705 PIN KSR-GTR 1090/513 D15_SIL	4036263587008	5	
2050704 PIN KSR-GTR 1290/563 D15_SIL	4036263586995	5	
2050702 PIN KSR-GTR 1690/563 D15_SIL	4036263586988	5	
2050696 PIN KSR-GTR 1890/1000 D15_SIL	4036263586971	5	
2050695 PIN KSR-GTR 2290/1000 D15_SIL	4036263586964	5	

Roto Frank Fenster- und Türtechnologie GmbH

Wilhelm-Frank-Platz 1
70771 Leinfelden-Echterdingen
Deutschland