


Product Information

## Roto Patio Inowa 15mm backset KSR espagnolette



### Overview

#### System

Sliding

#### Product

Roto Patio Inowa

The smart hardware system for tightly sealed parallel retraction sliding elements

#### Availability / Ordering ability

Available to order

#### Documentation

Will be published in IMO 403, 557 with the next update.

### Description

**New KSR espagnolettes have been developed for Inowa and Inowa Max for timber and PVC profile systems.**

The new KSR espagnolettes have standard lengths with a backset of D15.

The espagnolettes are reinforced for use with Patio Inowa.

They have a cutting range of 200 mm in accordance with the NX/NT standard.

These gearboxes fully cover the entire range from FFH 1072 to 2500.


They are mounted with V-pins.


Lockable options are not possible with this backset.

### Article Overview

Article Code	EAN No.	unit	Material Group
<b>2055868</b> PIN KSR GTR DK 1090 513 D15 1V SIL	4036263600318	1	92
<b>2055871</b> PIN KSR GTR DK 1290 563 D15 1V SIL	4036263600325	1	92
<b>2055872</b> PIN KSR GTR DK 1690 563 D15 1V SIL	4036263600332	1	92
<b>2055873</b> PIN KSR GTR DK 1890 1000 D15 2V SIL	4036263600349	1	92
<b>2055874</b> PIN KSR GTR DK 2290 1000 D15 2V SIL	4036263600356	1	92

<b>Article Code</b>	<b>EAN No.</b>	<b>unit</b>	<b>Material Group</b>
<b>2050707</b> PIN KSR-GTR 690/263 D15_SIL	4036263587121	1	92
<b>2050706</b> PIN KSR-GTR 890/413 D15_SIL	4036263587114	1	92





**Roto Frank Fenster- und Türtechnologie GmbH**

Wilhelm-Frank-Platz 1  
70771 Leinfelden-Echterdingen  
Deutschland